

# Installing the HaloTile






1. Remove existing ceiling tile next to ceiling tile to receive the HaloTile




2. Raise the Splash Cover on the HaloPod and plug in the **RED** marked connector on the white cable from the previous HaloTile or from the IMS controller if the first tile, into the left connector on the Halopod, marked by the red dot.




3. If another Halotile will be attached to this Halopod, plug in the BLACK marked connector of a new white cable into the right connector of the HaloPod.






4. If the ceiling clip will be used, connect it to the center connector of the HaloPod and push in gently.



5. Hold down the Halopod splash cover (making sure the cables are in the slots provided for them) and insert the plastic knob retaining screw into the splash cover as shown.



6. Turn the plastic knob until snug, **DO NOT OVERTIGHTEN!**





7. Now, place the HaloTile on top of the ceiling tile with the **RED** end of the white cable hanging out for the next Halotile. (unless this is the last HaloTile to be placed)



8. If the clip will be used, lift the ceiling tile and the halo tile and pull the clip into place on the rail, then push up the clip wires while lowering the ceiling tile until the clip is secured and the ceiling tile is in position. The arrow on the clip should point the ceiling tile with the HaloTile on top.



9. Repeat the steps above until all of the HaloTiles are installed, then return all of the ceiling tiles that were removed.